

GALTECH®

Galtech Umbrellas has established itself as a prominent name in the shade industry, earning a reputation as a premier provider of high-quality shade products since 1994. With a commitment to craftsmanship, innovation, and customer satisfaction, Galtech has become a trusted source for umbrellas that combine functionality, durability, and aesthetic appeal.

Galtech recognizes the importance of prompt service and customer satisfaction. We offer various programs, such as quick ship options, to ensure timely delivery and meet the demands of our valued customers. By combining efficient logistics with our commitment to superior craftsmanship, Galtech aims to exceed customer expectations in both the residential and commercial sectors of the market.






Note: Only those items listed as "Galtech Contract" will be warranted in commercial settings. Commercial settings include restaurants, hotels, country clubs, community pools and any other non residential establishment. Galtech requires a signed commercial warranty waiver on all non "Galtech Contract" items that are shipped to commercial establishments as designated above. Any shipment that is made to a "commercial establishment" will be treated as a commercial sale.

Damage caused by the wind under any circumstances are not considered to be a warranty replacement.



Aluminum	Page		Page
727 - 75' Deluxe Auto Tilt	2	636 - 9' Manual Tilt	7
737 - 9' Deluxe Auto Tilt	3	736 - 9' Auto Tilt	8
779 - 8x11' Deluxe Auto Tilt	4	936 - 9' Auto Tilt - LED Lights	9
789 - 11' Deluxe Auto Tilt	5	986 - 11' Auto Tilt - LED Lights	10
799 - 10x10' Deluxe Auto Tilt	6	and desire the desired desired from the desired of	





Commercial

762 - 6x6' Deluxe Single Pole	11	792 - 10x10' Deluxe 4 Pulley	17
722 - 75' Deluxe Single Pole	12	715 - 6' Fiberglass Rib	18
732 - 9' Deluxe Single Pole	13	725 - 75' Fiberglass Rib	19
781 - 11 Deluxe 4 Pulley	14	735 - 9' Fiberglass Rib	20
791 - 13' Deluxe 4 Pulley	15	772 - 3.5 x 7' Half Wall	21
782 - 8x8' Deluxe 4 Pulley	16		



Cantilever

887 - 11' Easy Lift Cantilever	22
899 - 13' Easy Lift Cantilever	23
897 - 10x10' Easy Lift Cantilever	24



Wood

04 / 004 75' Manual Lift Manual	05
21 / 221 - 75' Manual Lift Wood	25
31 - 9' Manual Lift Wood	26
32/232 - 9' 2 Pulley Wood	27
36 - 9' Single Pole	28
33 - 11' 4 Pulley Wood	29



531 - 9' 4 Pulley African Teak	30
532 - 9' 4 Pulley Deluxe Teak	31
537 - 9' Rotational Tilt Deluxe Teak	32
587 - 11' Crank Lift Deluxe Teak	33





Bases

eel Plate	3
ıro Cast Iron	3



Warranty

Fabrics

531 - 9' 4 Pulley African Teak

2025 Quick Ship Fabrics	36
2025 Quick Ship Program	38
Design Studio	39
2025 Parts List	40



41

75' Deluxe Auto Tilt








9' Auto Tilt



Features:

* Rotate crank handle clockwise to engage tilt



8x11' Deluxe Auto Tilt AUTOTILT DELUXE







- * Rotate crank handle clockwise to engage tilt
- * 3 different rib lengths required for oval shape (side, comer, end)
- * Steel cable lift provides superior strength
- * Solid resin hubs for increased durability
- * Solid metal crank housing increases durability
- * Stripes are not advised on oval umbrella, corners will not allign

Finishes

Antique Bronze (AB)

Black (BK)

11' Deluxe Auto Tilt

Features:

- * Rotate crank handle clockwise to engage tilt
- * Steel cable lift provides superior strength
- * Solid resin hubs for increased durability
- * Solid metal housing increases durability



Antique Bronze (AB)


Black (BK)








Solid Resin Hubs Cast Metal Housing Threaded Coupling





Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
11'	Crank	Threaded	1.5"	22 LBS	71x7x7"	39"	45"	72" Table



10x10' Deluxe Auto Tilt AUTOTILT DELUXE 10x10'





9' Manual Tilt

Features:

- * Tilts both left and right directions
- * Slide tilt button down to engage tilt
- * Fiberglass ribs bend and flex in wind
- * Solid resin hubs for increased durability
- * Nylon cord lift



Bronze (MB)




— 9' Diameter —

Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
9'	Crank	Push Button	1.375"	16 LBS	58x7x7"	42"	46"	54" Table

9' Auto Tilt







9' Auto Tilt LED Lights






Features:

- * Low voltage, 80 lamps total (10 per rib)
- * Amber colored LED blend into landscape
- * Lamps are rated for 15,000 hours of use
- * 3 light options, "On", "Rotate", "Flash"
- * Steel cable lift provides superior strength
- * Solid resin hubs for increased durability
- * Low Voltage transformer and USB cable provided

Finishes

Antique Bronze (AB)

Black (BK)





11' LED Auto Tilt













Features:

- * Double walled aluminum ribs
- * Stainless steel hardware
- * Quick release rib brackets easy replace if needed
- * Single pole construction, ideal for commercial use
- * Solid heavy duty resin hubs for increased durability



Antique Bronze (AB)










Solid Resin Hubs Stainless Hardware Single Pole






_	PXP.	Sq
		- 2

Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
6x6'	Manual	Single Pole	1.5"	18 LBS	92x7x7"	N/A	N/A	42" Table













Features:

- * Single Pole
- * Double walled aluminum ribs
- * Stainless steel hardware

Finishes

Antique Bronze (AB)

Black (BK)

- * Quick release rib brackets easy replace if needed
- * Solid heavy duty resin hubs for increased durability

NEW













Features:

- * 4 Pulley lift for easy opening
- * Double walled aluminum ribs
- * Stainless steel hardware
- * Quick release rib brackets easy replace if needed
- * Solid heavy duty resin hubs for increased durability
- * All Canopies are Double Wind Vent











Solid Resin Hubs Stainless Hardware Threaded Coupling





Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
13' 4	4 Pulley	Threaded	1.75"	26 LBS	80 x10x10	" 36"	N/A	Free Stand















Features:

- * Stainless steel hardware


10x10' 4 Pulley Threaded

1.75"

84x8x8"

32 LBS

30"



N/A

Free Stand

6' Commercial










7.5' Commercial





Features:

- * Fiberglass Ribs bend and flex in wind
- * Seamless threaded coupling
- * Solid resin hubs





BP - 45"

9' Commercial







3x7' Half Wall Commercial



3x7'

Features:

- * Designed for balconies, condos, cafes
- * May be mounted flush against a wall
- * Solid Resin Hubs
- * Solid Metal Crank Housing
- * Steel Cable Lift
- * Sturdy threaded coupling
- * Works best when paired with O4OSQ Base Finishes

Antique Bronze (AB)








Solid Resin Hubs

Cast Metal Housing Threaded Coupling





Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
3x7"	Crank	Threaded	1.5"	16 LBS	62x7x7"	35"	45"	42" Table





36x36x10"



121 / 221 7.5' Manual Lift





Features

- * 6 layers of marine varnish
- * Premium finishing
- * Solid resin hubs for increased durability
- * Threaded coupling for increased strength
- * All purpose use commercial or residential



Finishes

Dark Wood (221)




Solid Resin Hubs



Premium Finish



Threaded Coupling





Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
7.5'	Manual	Threaded	1.375"	13 lbs	49x7x7"	48"	54"	42" Table



9' Manual Lift







132/232 9' Two Pulley Lift





Features:

- * 6 layers of marine varnish
- * Premium finishing
- * 2 pulley lift nylon cord
- * Solid resin hubs for increased durability
- * Threaded coupling for increased strength
- * All purpose use commercial or residential



Finishes

Dark Wood (232)





Size	Lift Cou	ipling Po	ole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
9'	2 Pulley Thre	aded	15"	18 lbs 5	57x7x7"	47"	57"	54" Table

Solid Resin Hubs



9' Manual Lift







11' Four Pulley Lift





Features:

- * 6 layers of marine varnish
- * Premium finishing
- * 4 Pulley lift for easy open
- * Solid resin hubs for increased durability
- * Threaded coupling
- * All purpose use commercial or residential











Solid Resin Hubs Four Pulley Lift

Threaded Coupling





Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
11	4 Pulley	Threaded	1.75"	27 lbs	69x8x8"	40"	48"	72" Table

9' Four Pulley Lift







Features:

- * Teak is lightly sealed
- * Four pulley lift for easy opening
- * Threaded coupling for easy connection
- * Independent rib brackets for easy replacement
- * Contemporary stainless steel hardware
- * New Designer style hubs








Finishes Teak

Designer Hubs

Four Pulley Lift

Threaded Coupling





Size	Lift	Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
9'	4 Pulley	Threaded	1.5"	24 LBS	57x8x8"	47"	56"	54" Table

9' Four Pulley Lift





Features:

- * Teak is lightly sealed
- * Four pulley lift for easy opening
- * Threaded coupling for easy connection
- * Independent rib brackets for easy replacement
- * Contemporary stainless steel hardware
- * New Designer style hubs

Finishes









Designer Hubs

Four Pulley Lift

Threaded Coupling






Size	Lift (Coupling	Pole Diam.	Weight	Carton	Bottom Pole	Bar Height Pole	Coverage
9'	4 Pulley T	hreaded	1.5"	24 lbs	57x8x8"	47"	56"	54" Table

9' Rotational Tilt







11' Crank Lift

Features:

11"

Crank Threaded

1.75"


32 lbs

75x8x8"

39"

50"

54" Table





Square Plate









Base	Size	Weight	Tube Diameter	Material
04050	13x22" Rectangle	40 LBS	1.75"	Steel
06050	21" Square	60 LBS	1.75"	Steel
085SQ	24" Square	85 LBS	1.75"	Steel
New Hea	avyweight Bases			
12050	21" Square	120 LBS	1.75"	Steel
170SQ	24" Square	170 LBS	1.75"	Steel

Bases With Wheels





Base	Size	Weight	Tube Diameter	Material
09580	26x26" Square	95 LBS	1.75"	Steel

Features:

- * 1 year warranty, excluding wind damage
- * Steel Plate is coated with anti rust primer
- * Heavy duty mounting plate is ideal for commercial use
- * Stainless steel hardware
- * Stainless foot plate on wheel base for easy portability
- * 24" optional extension tube provides increased stability
- * All bases can hold up to 1.75" diameter pole by removing bushings on base tube
- * Rubber wheels on O95SQ model
- * O4OSQ is designed to be paired with 772 Half Wall umbrella
- * All purpose use commercial or residential
- * All bases have rubber feet to prevent surface to metal contact







24" Extension Tube Ideal for commercial use



Cast Iron



Features:

- * All Cast Iron bases have protective feet on bottom of base
- * All Cast Iron bases ship with both a long and short tube inside the box
- * Galtech recommends a minimum 75 lb. base for all free standing applications
- * Anti rust primer is applied to all bases
- * All bases can hold up to 1.75" diameter pole by removing bushings on base tube









7.25"

Base	Size	Weight	Tube Diameter	Material
040ED	18" Diameter	40 LBS	1.75"	Cast Iron
075ED	24" Diameter	75 LBS	1.75"	Cast Iron



Quick Ship Fabrics










#21 Canvas Suncrylic C Grade Suncrylic C Grade



#22 Forest Green Suncrylic C Grade



#24 White Suncrylic C Grade Suncrylic C Grade



Suncrylic C Grade



#28 Navv Suncrylic C Grade



Suncrylic C Grade





#36 Kiwi Green Suncrylic C Grade

2025 Quick Ship Fabrics


Galtech strives to ship all Quick Ship Fabric orders within 5-7 working days. Please note that not all fabrics are available in all sizes as Quick Ship orders. See page 18-20 of our 2025 Suggested Retail Price List for detailed guide.

Quick Ship Program



63





Note: Designer Studio Covers are available in Sunbrella fabrics only. All Designer Studio covers are made to order: Allow additional lead time for any custom design cover:



Alternating Panel

Color coordinate two Sunbrella fabrics to create a unique designer's touch.

Double Wind Vent

Sandwich two coordinating fabrics or use one fabric throughout to achieve this contemporary look.

Edge Trim

Create a unique fashion statement with a 4" band of Sunbrella fabric for a contemporary look.

Valance

Achieve a classic Euro Cafe look by adding a decorative 7" valance in a solid or contrasting color:

Scallop Valance

The scallop valance is a modern twist to the classic straight valance. Complete the look with one of our coordinated Sunbrella bindings.

Parts

A comprehensive listing of replacement parts is available at our website: www.galtechcorp.com

The parts list may be found under the tab "User Info".





U-RIB

CANTILEVER HARDWARE

TRANSFORMER

END CAPS

U-RIB8X7XX

P-BASEHARDWARE

P-TRANSFORMER

P-ENDCAP

Aluminum									
Galtech Model	Frame Only	Canopy	Ribs	Bottom Pole	Bar Height Pole	Hubs	Finial	Pin and Chain	
727, 737,779, 789, 799	x	х	Х	х	х	Х	х	N/A	
636, 736, 936, 986	x	х	х	х	x	х	х	N/A	
	Commercial								
762, 722,732	х	х	Х	N/A	N/A	Х	х	х	
781, 791, 792	х	х	х	х	N/A	х	х	х	
782	х	Х	Х	х	х	X	х	х	
715, 725,735	х	Х	х	х	х	х	х	х	
772	х	Х	Х	х	х	Х	х	N/A	
	<i>9</i> 5		Canti	lever	de se	× ×		0.00	
Galtech	Frame Only	Canopy	Ribs	Tilt Wheel	Base	Hubs	Finial	Tool	
887, 899, 897	x	х	х	х	x	х	х	х	
			Wo	ood					
Galtech Model	Frame Only	Canopy	Ribs	Bottom Pole	Bar Height Pole	Hubs	Finial	Pin and Chain	
121/221, 131	X	х	Х	х	х	Х	х	х	
136	х	х	X	N/A	N/A	Х	Х	х	
132/232 , 183	Х	Х	Х	х	Х	Х	Х	х	
531, 532	х	Х	х	х	х	х	х	х	
537,587	X	х	X	х	X	х	х	N/A	
		Misc	ellaneous	Parts Availab	le				
Item	Part #				Description				
BASE TUBE	BSTUBE15XX		R	EPLACEMENT BASE	E TUBE - HOLDS UP TO	1.75" DIAMET	ER POLE		
24" BASE TUBE	BSTUBEXX24		24"	BASE TUBE EXTEND	DER FOR SQUARE BASI	ES / COMMERC	IAL USAGE		
BASE BUSHINGS	P-BASEBUSHING		INS	ERTS IN TO BASE T	UBE TO ACCOMMODA	ATE MULTIPLE S	SIZE POLES		
BASE KNOBS	P-BASEKNOBS	ļ.		THUMB SCREW	'S TO SECURE POLE IN	TO THE BASE T	UBE		
HUB WIRE	P-HUBWIRE	SE	CURES RIBS O	N TO HUBS ON ALL	UMBRELLAS EXCEPT	THE SR SERIES,	CANTILEVER AN	ID TEAK	
RIB BRACKETS	P-SRBRACKETS		5	TAINLESS BRACKE	TS THAT SECURE SR SE	ERIES RIBS ON T	O HUB		
PULLEYS	P-PULLEYS	ľ.		REPL	ACEMENT PULLEYS A	ND ROPE			
MOUNTING PLATE	P-MOUNTPLATE			SECURES N	AIN POLE ON CANTIL	EVER TO BASE			

X - indicates the part is available

MAIN RIB THAT ATTACHES MAST TO HUB ON 887 AND 897 CANTILEVER

MOUNTING SCREWS THAT SECURES PLATE ON TO BASE, MAST ON TO PLATE

POWER TRANSFORMER FOR 936 / 986 LED LIGHT UMBRELLA

PLASTIC END CAPS LOCATED AT END OF ALUMINUM RIBS

GALTECH INTERNATIONAL

LIMITED WARRANTY POLICY

Umbrella Frames and Stands

1 YEAR WARRANTY - All Galtech Market Umbrellas and Stands from the original date of consumer purchase

2 YEAR PREMIUM WARRANTY – All Galtech AUTOTILT umbrellas and the following items:

762, 722, 732, 781, 782, 791, 792, 887, 899, 897

Verification of the date of consumer purchase is required for product to qualify under Galtech's warranty policy.

What is covered:

Broken tilt mechanism, broken cords, broken cranks

What is not covered:

DAMAGE CASUED FROM WIND CONDITIONS ARE NOT COVERED UNDER ANY CIRCUMSTANCES


Damage indicative of wind include broken ribs and bent aluminum poles. Replacement of warranty items will be determined upon factory discretion.

COVERS

Covers are warranted against loss of color or strength from normal exposure conditions for the following duration:

Sunbrella: 5 years

Suncrylic: 1 year



GALTECH ®

501 Flynn Road Camarillo,CA 93012 PH: 805-376-1060

Email: sales@galtechcorp.com Web: www.galtechcorp.com







Galtech Website